INTERNATIONAL JOURNAL OF PHARMACEUTICS

VOL. 102 NO. 1–3 CONTENTS 7 February 1994

Cited in: Current Contents (Life Sciences; Clinical Practice); International Pharmaceutical Abstracts; Biological Abstracts; Chemical Abstracts; Excerpta Medica EMBASE; PASCAL M; Science Citation Index; Current Awareness in Biological Sciences

Announcement from the Publisher v

Research Papers

The relationship between bulk density and compactibility of lactose granulations
K. Zuurman, K.A. Riepma, G.K. Bolhuis, H. Vromans and C.F. Lerk (The Netherlands) 1

A comparison of the lung deposition of salbutamol inhaled from a new dry powder inhaler, at two inhaled flow rates
G. Pitcairn, G. Lunghetti, P. Ventura and S. Newman (UK, Italy) 11

Vehicle effects on in vitro heparin release and skin penetration from different gels
F.P. Bonina and L. Montenegro (Italy) 19

Supramolecular biovectors (SMBV): a new family of nanoparticulate drug delivery systems. Synthesis and structural characterization
M. Peyrot, A.M. Sautereau, J.M. Rabanel, F. Nguyen, J.F. Tocanne and D. Samain (France) 25

Pharmacokinetics of methotrexate after intravenous and intramuscular injection of methotrexate-bearing negatively charged liposomes to rats
Y.N. Jeong, S.H. Lee, M.G. Lee, S.J. Hwang and C.-K. Kim (South Korea) 35

Oral dosage forms with a core and shell with the same polymer containing different drug concentrations
E.M. Ouriemchi, J. Bouzon and J.M. Vergnaud (France) 47

Some parameters influencing cytotoxicity of free doxorubicin and doxorubicin-loaded nanoparticles in sensitive and multidrug resistant leucemic murine cells: incubation time, number of nanoparticles per cell
F. Némati, C. Dubernet, A.C. De Verdière, M.F. Poupon, L. Treupel-Acar, F. Puisieux and P. Couvreur (France) 55

Preformulation studies to aid in the development of an injectable formulation of PD 144872, a radiosensitizing anticancer agent
A.S. Kearney, S.C. Mehta and G.W. Radebaugh (USA) 63

Influence of amount of hard fat in suppositories on the in vitro release rate and bioavailability of paracetamol and codeine. I. A comparison of three suppository compositions in vivo
K. Gjellan, C. Graffner and H. Quiding (Sweden, Norway) 71

Preparation, characterization and pharmaceutical application of linear dextrins: V. Study on the binding properties of amylodextrin, metastable amylodextrin and metastable amylose
G.H.P. Te Wierik, A.C. Eissens and C.F. Lerk (The Netherlands) 81

Phase diagram of tyloxapol and water – I
K. Westesen (Germany) 91

Radiolabelling of polymer microspheres for scintigraphic investigations by neutron activation. 4. A pharmacoscintigraphic study of colon-targeted Eudragit RS-sulphapyridine microspheres in human volunteers
P.J. Watts, C.G. Wilson, M.C. Davies and C.D. Melia (UK) 101

Determination of the position of the ester bond in a micellar prodrug of phenytoin
D.G. Müller, V.J. Stella and A.P. Lötter (South Africa, USA) 109

Influence of granulation and compression process variables on flow rate of granules and on tablet properties, with special reference to weight variation
P. Merkku, A.-S. Lindqvist, K. Leiviskä and J. Yliruusi (Finland) 117

Effect of different modes of inhalation on drug delivery from a dry powder inhaler
S.P. Newman, A. Hollingworth and A.R. Clark (UK) 127

Bioavailability of itazigrel in dogs after oral administration of soft elastic capsules
K. Yamamoto, S. Yokohama, H. Emori, A.C. Shah and T. Nishihata (Japan) 133

Percutaneous absorption of betahistine through rat skin and pharmacokinetic analysis of the plasma concentration
T. Ogiso, M. Iwaki, Z. Jing-ping, T. Tanino and A. Noguchi (Japan, PR China) 141

The measurement of liposome entrapped molecules' penetration into the skin: A 1D-EPR and EPR kinetic imaging study
V. Gabrijelčič, M. Šentjurc and M. Schara (Slovenia) 151

The deposition and clearance of liposome entrapped ^{99m}Tc-DTPA in the human respiratory tract
S.A. Barker, K.M.G. Taylor and M.D. Short (UK) 159

(Contents continued on p. 280)

0378-5173(19940207)102:1/3;1-E

INTERNATIONAL JOURNAL OF PHARMACEUTICS

VOL. 102 NO. 1–3 CONTENTS 7 February 1994

Cited in: Current Contents (Life Sciences; Clinical Practice); International Pharmaceutical Abstracts; Biological Abstracts; Chemical Abstracts; Excerpta Medica EMBASE; PASCAL M; Science Citation Index; Current Awareness in Biological Sciences

Announcement from the Publisher v

Research Papers

The relationship between bulk density and compactibility of lactose granulations
K. Zuurman, K.A. Riepma, G.K. Bolhuis, H. Vromans and C.F. Lerk (The Netherlands) 1

A comparison of the lung deposition of salbutamol inhaled from a new dry powder inhaler, at two inhaled flow rates
G. Pitcairn, G. Lunghetti, P. Ventura and S. Newman (UK, Italy) 11

Vehicle effects on in vitro heparin release and skin penetration from different gels
F.P. Bonina and L. Montenegro (Italy) 19

Supramolecular biovectors (SMBV): a new family of nanoparticulate drug delivery systems. Synthesis and structural characterization
M. Peyrot, A.M. Sautereau, J.M. Rabanel, F. Nguyen, J.F. Tocanne and D. Samain (France) 25

Pharmacokinetics of methotrexate after intravenous and intramuscular injection of methotrexate-bearing negatively charged liposomes to rats
Y.N. Jeong, S.H. Lee, M.G. Lee, S.J. Hwang and C.-K. Kim (South Korea) 35

Oral dosage forms with a core and shell with the same polymer containing different drug concentrations
E.M. Ouriemchi, J. Bouzon and J.M. Vergnaud (France) 47

Some parameters influencing cytotoxicity of free doxorubicin and doxorubicin-loaded nanoparticles in sensitive and multidrug resistant leucemic murine cells: incubation time, number of nanoparticles per cell
F. Némati, C. Dubernet, A.C. De Verdière, M.F. Poupon, L. Treupel-Acar, F. Puisieux and P. Couvreur (France) 55

Preformulation studies to aid in the development of an injectable formulation of PD 144872, a radiosensitizing anticancer agent
A.S. Kearney, S.C. Mehta and G.W. Radebaugh (USA) 63

Influence of amount of hard fat in suppositories on the in vitro release rate and bioavailability of paracetamol and codeine. I. A comparison of three suppository compositions in vivo
K. Gjellan, C. Graffner and H. Quiding (Sweden, Norway) 71

Preparation, characterization and pharmaceutical application of linear dextrins: V. Study on the binding properties of amylodextrin, metastable amylodextrin and metastable amylose
G.H.P. Te Wierik, A.C. Eissens and C.F. Lerk (The Netherlands) 81

Phase diagram of tyloxapol and water – I
K. Westesen (Germany) 91

Radiolabelling of polymer microspheres for scintigraphic investigations by neutron activation. 4. A pharmacoscintigraphic study of colon-targeted Eudragit RS-sulphapyridine microspheres in human volunteers
P.J. Watts, C.G. Wilson, M.C. Davies and C.D. Melia (UK) 101

Determination of the position of the ester bond in a micellar prodrug of phenytoin
D.G. Müller, V.J. Stella and A.P. Lötter (South Africa, USA) 109

Influence of granulation and compression process variables on flow rate of granules and on tablet properties, with special reference to weight variation
P. Merkku, A.-S. Lindqvist, K. Leiviskä and J. Yliruusi (Finland) 117

Effect of different modes of inhalation on drug delivery from a dry powder inhaler
S.P. Newman, A. Hollingworth and A.R. Clark (UK) 127

Bioavailability of itazigrel in dogs after oral administration of soft elastic capsules
K. Yamamoto, S. Yokohama, H. Emori, A.C. Shah and T. Nishihata (Japan) 133

Percutaneous absorption of betahistine through rat skin and pharmacokinetic analysis of the plasma concentration
T. Ogiso, M. Iwaki, Z. Jing-ping, T. Tanino and A. Noguchi (Japan, PR China) 141

The measurement of liposome entrapped molecules' penetration into the skin: A 1D-EPR and EPR kinetic imaging study
V. Gabrijelčič, M. Šentjurc and M. Schara (Slovenia) 151

The deposition and clearance of liposome entrapped ^{99m}Tc-DTPA in the human respiratory tract
S.A. Barker, K.M.G. Taylor and M.D. Short (UK) 159

(Contents continued on p. 280)

0378-5173(19940207)102:1/3;1-E

9–14 October 1994
First Swiss Course on Medicinal Chemistry, Leysin, Switzerland. (Contact: H. van der Waterbeemd, F. Hoffmann-La Roche Ltd, CH-4002 Basel, Switzerland. Tel.: +41-(61)-688-8421; Fax: +41-(61)-688-1745.)

21–24 March 1995
Lipophilicity in Drug Research and Toxicology, Lausanne, Switzerland. (Contact: B. Testa, School of Pharmacy, University of Lausanne, BEP, CH-1015 Lausanne, Switzerland. Tel.: +41-(21)-692-2851; Fax: +41-(21)-692-2880.)

(Contents continued from back cover)

An assessment of substrate-binder interactions in model wet masses. 1: Mixer torque rheometry
B.C. Hancock, P. York and R.C. Rowe (UK) 167
Role of intestinal transport and first pass liver extraction on oral delivery of renin inhibitor compounds
T.T. Kararli, B. Farhadieh, S. Bittner, M. Babler, P.-C. Yang and G.M. Walsh (USA) 177
Optimization of process variables for the preparation of ibuprofen coprecipitates with Eudragit S100
M.A. Khan, S. Bolton and M.S. Kislalioglu (USA) 185
Kinetics of degradation of a cyclic lactam analog of α-melanotropin (MT-II) in aqueous solution
S.O. Ugwu, E.-L. Lan, S. Sharma, V. Hruby and J. Blanchard (USA) 193
Chemical stability of polymyxin B in aqueous solution
R.B. Taylor, R.M.E. Richards, A.S. Low and L. Hardie (UK) 201
Plasticization and interactions of polyethylene glycol 6000 with hydroxypropyl methylcellulose/polyvinyl alcohol blends
P. Sakellariou, H. Hassan and R.C. Rowe (UK) 207
Exploratory studies on the in vitro release and bioavailability of dextropropoxyphene from lipophilic and hydrophilic suppositories
K. Gjellan, C. Graffner and S. Strid (Sweden, Norway) 213
Oral absorption of lipidic amino acid conjugates
I. Toth, A.M. Hillery, I.P. Wood, C. Magnusson and P. Artursson (UK, Sweden) 223
N-Alkoxycarbonyl prodrugs of mebendazole with increased water solubility
L.S. Nielsen, F. Sløk and H. Bundgaard (Denmark) 231
Effects of epidermal/dermal separation methods and ester chain configuration on the bioconversion of a homologous series of methotrexate dialkyl esters in dermal and epidermal homogenates of hairless mouse skin
J.J. Fort and A.K. Mitra (USA) 241

Notes
Pharmacokinetics of ciprofloxacin after intravenous administration of ciprofloxacin-TOF in rabbits
W.H. Yoon, E.J. Yoon, S.H. Jang, S.H. Lee, H.J. Lee, J.M. Park, K.E. Choi and M.G. Lee (South Korea) 249
Increased systemic bioavailability of albendazol when administered with surfactants in rats
J.L. Del Estal, A.I. Alvarez, C. Villaverde, A. Justel and J.G. Prieto (Spain) 257
The quantitation of the absorption of microparticles into the intestinal lymph of Wistar rats
P.G. Jenkins, K.A. Howard, N.W. Blackhall, N.W. Thomas, S.S. Davis and D.T. O'Hagan (UK) 261
Chronic verapamil administration alters phenytoin pharmacokinetics in the rat
M.O.M. Tanira, I.A. Wasfi, A.K. Bashir and D.W.G. Harron (United Arab Emirates) 267
Reversed-phase high-performance liquid chromatographic and derivative UV spectrophotometric determination of famotidine in pharmaceutical preparations
G. Carlucci, P. Mazzeo, C. Vetuschi and E. Di Giuseppe (Italy) 271

Author Index 275

Noticeboard 279